

Singleton non-anomalous pregnancy, 32+0 to 36+6 weeks, able to give informed consent, age ≥ 18

AND

EFW or AC $< 10^{\text{th}}$ centile OR drop by 50 percentiles since an ultrasound scan at 18-32 weeks

AND

Normal computerised CTG (STV ≥ 4.5 msec)

AND

Umbilical Cerebral Ratio > 1.0 at 32+0 - 33+6 weeks

> 0.8 at 34+0 - 36+6 weeks

(UCR must be repeated within 2 – 24 hours to confirm abnormal reading)

AND

No contra-indication to either trial arm

RANDOMISATION (at time of 2nd abnormal UCR) 1:1 central with minimisation by centre and risk factor

IMMEDIATE DELIVERY

Delivery or start of induction of labour within 48 hours of randomisation

To allow for administration of corticosteroids and magnesium sulphate (see guidance)

DELAYED DELIVERY

Twice weekly ultrasound Doppler and cCTG

Delivery mandatory if cCTG STV < 4.5 msec OR repeated decelerations

OR if UA EDF is reversed
OR $\geq 34 + 0$ if UA EDF absent

PRIMARY OUTCOME

Composite perinatal outcome

SECONDARY OUTCOME

2 year neurodevelopment PARCA-R score